SAFETY DATA SHEET

Version 6.1 Revision Date 05/28/2017 Print Date 08/08/2019

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Silver nitrate

Product Number : 209139
Brand : SIGALD
Index-No. : 047-001-00-2

CAS-No. : 7761-88-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 Spruce Street ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Oxidizing solids (Category 2), H272 Corrosive to metals (Category 1), H290 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H272 May intensify fire; oxidizer. H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P234

P210 Keep away from heat.

P220 Keep/Store away from clothing/ combustible materials. P221 Take any precaution to avoid mixing with combustibles.

Keep only in original container. P260 Do not breathe dust or mist. P264 Wash skin thoroughly after handling. P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for P304 + P340 + P310

breathing. Immediately call a POISON CENTER/doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing, Immediately

call a POISON CENTER/doctor.

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to

extinguish.

P390 Absorb spillage to prevent material damage.

P391 Collect spillage. P405 Store locked up.

P406 Store in corrosive resistant stainless steel container with a resistant inner

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 **Substances**

Formula : AgNO₃ Molecular weight 169.87 g/mol CAS-No. 7761-88-8 EC-No. 231-853-9 047-001-00-2 Index-No.

Hazardous components

Component	Classification Concentration		
Silver nitrate			
		<= 100 %	
	Corr. 1B; Eye Dam. 1; Aquatic		
	Acute 1; Aquatic Chronic 1;		
	H272, H290, H314, H410		

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician. SIGALD- 209139 Page 2 of 9

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx), Silver/silver oxides

Container explosion may occur under fire conditions.

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combu formation should be taken into consideration before additional processing Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No

smoking. Keep away from heat and sources of ignition.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Light sensitive.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SIGALD- 209139 Page 3 of 9

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis
			parameters	
Silver nitrate	7761-88-8	TWA	0.010000	USA. Occupational Exposure Limits
			mg/m3	(OSHA) - Table Z-1 Limits for Air
				Contaminants
		TWA	0.010000	USA. ACGIH Threshold Limit Values
			mg/m3	(TLV)
	Remarks	Argyria		
		varies		
		TWA	0.010000	USA. NIOSH Recommended
			mg/m3	Exposure Limits
		TWA	0.01 mg/m3	USA. Occupational Exposure Limits
				(OSHA) - Table Z-1 Limits for Air
				Contaminants
		TWA	0.01 mg/m3	USA. ACGIH Threshold Limit Values
				(TLV)
		Argyria		
		varies		
		TWA	0.01 mg/m3	USA. NIOSH Recommended
				Exposure Limits

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industria situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

SIGALD- 209139 Page 4 of 9

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use (EN 143) respirator cartridges as a backup to engineering controls. If th full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: solid

Colour: colourless

Odour odourless b)

Odour Threshold No data available c) d) No data available

Melting point/freezing e) point

Melting point/range: 212 °C (414 °F) - dec.

Initial boiling point and

boiling range

440 °C (824 °F) - Decomposes on heating.

g) Flash point ()No data available h) Evaporation rate No data available Flammability (solid, gas) No data available

Upper/lower flammability or explosive limits No data available

Vapour pressure No data available I) Vapour density No data available m) Relative density 4.350 g/cm3

n) Water solubility No data available

o) Partition coefficient: n-

octanol/water

log Pow: 5

p) Auto-ignition temperature

No data available

Decomposition temperature

No data available

No data available r) Viscosity No data available s) Explosive properties

Oxidizing properties The substance or mixture is classified as oxidizing with the category 2.

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

Chemical stability 10.2

Decomposes on exposure to light.

Stable under recommended storage conditions.

SIGALD- 209139 Page 5 of 9

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Light.

10.5 Incompatible materials

Strong reducing agents, Alcohols, Ammonia, Magnesium, Strong bases

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Nitrogen oxides (NOx), Silver/silver oxides Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Inhalation: No data available(Silver nitrate)
Dermal: No data available(Silver nitrate)

No data available(Silver nitrate)

Skin corrosion/irritation

No data available(Silver nitrate)

Serious eye damage/eye irritation

Eyes - Rabbit(Silver nitrate) Result: Severe eye irritation

Respiratory or skin sensitisation

No data available(Silver nitrate)

Germ cell mutagenicity

No data available(Silver nitrate)

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available(Silver nitrate)

No data available(Silver nitrate)

Specific target organ toxicity - single exposure

No data available(Silver nitrate)

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available(Silver nitrate)

Additional Information

RTECS: VW4725000

May cause argyria (a slate-gray or bluish discoloration of the skin and de silver)., Absorption into the body leads to the formation of methemoglobin which in delayed 2 to 4 hours or longer. (Silver nitrate)

SIGALD- 209139 Page 6 of 9

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.(Silver nitrate)

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish semi-static test LC50 - Pimephales promelas (fathead minnow) - 0.0012 mg/l -

96 h(Silver nitrate)

Toxicity to daphnia and

other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - 0.00121 mg/l - 48 h(Silver

nitrate)

Toxicity to algae EC50 - Pseudokirchneriella subcapitata (green algae) - 0.0099 mg/l - 96

h(Silver nitrate)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Bioaccumulation Cyprinus carpio (Carp) - 41 d

(Silver nitrate)

Bioconcentration factor (BCF): 70

12.4 Mobility in soil

No data available(Silver nitrate)

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber b highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chem scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1493 Class: 5.1 Packing group: II

Proper shipping name: Silver nitrate

Reportable Quantity (RQ) : 1 lbs

Poison Inhalation Hazard: No

IMDG

UN number: 1493 Class: 5.1 Packing group: II EMS-No: F-A, S-Q

Proper shipping name: SILVER NITRATE

Marine pollutant : yes

IATA

UN number: 1493 Class: 5.1 Packing group: II

SIGALD- 209139 Page 7 of 9

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date

Silver nitrate 7761-88-8 1993-04-24

SARA 311/312 Hazards

Reactivity Hazard, Acute Health Hazard

Massachusetts Right To Know Components

CAS-No. Revision Date Silver nitrate 7761-88-8 1993-04-24

Pennsylvania Right To Know Components

CAS-No. Revision Date Silver nitrate 7761-88-8 1993-04-24

New Jersey Right To Know Components

CAS-No. Revision Date Silver nitrate 7761-88-8 1993-04-24

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

H272 May intensify fire; oxidizer. H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

HMIS Rating

Health hazard: 3
Chronic Health Hazard:
Flammability: 0
Physical Hazard 2

NFPA Rating

Health hazard: 3
Fire Hazard: 0
Reactivity Hazard: 2
Special hazard.I: OX

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

SIGALD- 209139 Page 8 of 9

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 6.1 Revision Date: 05/28/2017 Print Date: 08/08/2019

SIGALD- 209139 Page 9 of 9